

SECTION 1: Identification

1.1 Product identifier

	Product name	Eucalyptus Organic Essential Oil
	Product number Brand Substance name EC no. CAS no.	23-0013-000 Bulk Apothecary Eucalyptus oil 283-406-2 8000-48-4
1.4	Supplier's details	

Name Address

Bulk Apothecary 115 Lena Dr Aurora OH 44202 United States

Telephone email 1-888-728-7612 sales@bulkapothecary.com

1.5 Emergency phone number(s)

1-800-633-8253

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Skin corrosion/irritation, Cat. 2
- Sensitization, skin, Cat. 1
- Flammable liquids, Cat. 3
- Aspiration hazard, Cat. 1

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s)	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
Precautionary statement(s)	
P332+P313	If skin irritation occurs: Get medical advice/attention.
P264	Wash hands, forearms, and face thoroughly after handling.
P362+P364	Take off contaminated clothing and wash it before reuse.
P321	Specific treatment (see supplemental first aid instructions on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P272	Contaminated work clothing must not be allowed out of the workplace.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P391	Collect spillage.
P273	Avoid release to the environment.
P403+P235	Store in a well-ventilated place. Keep cool.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P243	Take precautionary measures against static discharge.
P242	Use only non-sparking tools.
P240	Ground/bond container and receiving equipment.
P233	Keep container tightly closed.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P501	Dispose of contents/container to hazardous or special waste collection point,
	in accordance with local, regional, state, national and/or international
	regulation.
P405	Store locked up.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name EC no. CAS no.	Eucalyptus oil 283-406-2 8000-48-4
Other names / synonyms	Eucalyptus globulus leaf/twig oil; Eucalyptus oil; Eucalyptus citriodora oils; Eucalyptus 80/85 Chinese Oil; Eucalyptus macarthuri oils; Eucalyptus oil; Oils of eucalyptus; Oils, eucalyptus
Hazardous components	
1. Eucalyptus oil Concentration EC no. CAS no.	100 % (weight) 283-406-2 8000-48-4

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

Most important symptoms/effects, acute and delayed				
If swallowed	DO NOT induce vomiting. Obtain emergency medical attention.			
In case of eye contact	Flush eyes with water as a precaution.			
In case of skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower for at least 15 minutes. Call a poison center or doctor if irritation develops or persists. Wash contaminated clothing before reuse.			
If inhaled	Remove from exposure and move to fresh air immediately. Get medical assistance if cough or other symptoms develop.			
General advice	Never give anything by mouth to an unconscious person. If you feel Unwell, seek medical advise. Show the label or this safety data sheet when possible			
General advice				

4.2 Most important symptoms/effects, acute and delayed Inhalation : May cause respiratory irritation

Inhalation	: May cause respiratory irritation
Skin Contact	: Slight irritation
Eye Contact	: Serious eye irritation
Ingestion	: Risk of lung edema

4.3 Indication of immediate medical attention and special treatment needed, if necessary Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media Water Spray, Dry Powder, Foam, Carbon Dioxide.

5.2 Specific hazards arising from the chemical Irritating and toxic fumes may be produced at high temperatures.

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting. Wear protective clothing and gear to prevent contact with skin and eyes.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Emergency responders: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2 Environmental precautions

Should not be released into the environment.

6.3 Methods and materials for containment and cleaning up

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygene measures: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Ground/bond container and receiving equipment. Store in full closed containers locked up in a cool dry area away from heat, light, and sources of ignition.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Eucalyptus oil (CAS: 8000-48-4) Not Applicable

8.2 Appropriate engineering controls

Ensure Good Ventilation of the work station. Handle material in accordance with good industrial hygiene and safety practices. Avoid release into the environment.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms



Eye/face protection

Wear chemical goggles or safety glasses.

Skin protection

Wear protective gloves.

Body protection

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.

Respiratory protection

Respiratory protection is normally not required in a well ventilated area. However, approved respiratory protection may be required when the material is rated toxic by inhalation or if the material is to be used in a confined area.

Thermal hazards

No data available

Environmental exposure controls

Do not release into the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.) Odor Flash point Relative density Solubility(ies) Liquid; Colorless to pale yellow Herbal, Camphor, Eucalyptol 48.9 °C 0.909 g/cm3 Insoluble

Other safety information

 VOC content:
 35.8 %

 Refractive index:
 1.46 (1.458 - 1.470)

SECTION 10: Stability and reactivity

10.1 Reactivity

Flammable liquid and vapor

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal use conditions.

10.4 Conditions to avoid

Avoid contact with hot surfaces as well as heat, flames, sparks, and all sources of ignition.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

On combustion may produce smoke, carbon monoxide, and carbon dioxide.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity ATE US (oral) 2569 mg/kg body weight

Skin corrosion/irritation

Irritating to skin.

Serious eye damage/irritation

Causes eye irritation.

Respiratory or skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity No mutagenic effects.

Carcinogenicity Not Classified

Reproductive toxicity No toxicity to reproduction.

STOT-single exposure Not Classified.

STOT-repeated exposure No data available

Aspiration hazard May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

Toxicity

The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Persistence and degradability No data available on product

Bioaccumulative potential No data available on product

Mobility in soil

No data available

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Avoid release to the enviornment.

SECTION 13: Disposal considerations

Disposal of the product

Dispose of contents/container in accordance with licensed collector's sorting instructions as well as local, state, federal and/or international regulations. Flammable vapors may accumulate in the container.

Disposal of contaminated packaging

Dispose of as unused product, following federal, state, and local regulations.

Waste treatment

Waste packaging should be recycled or reused whenever possible. If recycling is not feasible, contaminated packaging should be disposed of in accordance with all local, state, and federal regulations. Regulations vary by region.

Sewage disposal

Avoid release into sewers or other public water ways.

SECTION 14: Transport information

DOT (US)

UN Number: UN1266 Perfumery products, 3, III

Class: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing Group: III - Minor Danger

Hazard Labels: 3 - Flammable Liquids

Poison inhalation hazard: No

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203

DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Special Provisions (49 CFR 172.102) : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the

bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. DOT Packaging Exceptions (49 CFR 173.xxx) : 150

DOT Quantity Limitations Passenger aircraft/rail

(49 CFR 173.27)

: 60 L

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: 220 L

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number : 127

IMDG

Transport document description: UN 1266 PERFUMERY PRODUCTS, 3, III UN Number: 1266

Proper Shipping Name: PERFUMERY PRODUCTS Class: 3 - Flammable liquids Packing group: III - substances presenting low danger Limited quantities: 5 L

IATA

Transport document description: UN 1266 Perfumery products, 3, III UN Number: 1266 Proper Shipping Name: Perfumery products Class: 3 - Flammable Liquids Packing group: III - Minor Danger

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Pennsylvania Right To Know Components

Eucalyptus globulus, ext. CAS-No. 84625-32-1

New Jersey Right To Know Components

Eucalyptus globulus, ext. CAS-No. 84625-32-1

Canadian Domestic Substances List (DSL)

Toxic Substances Control Act (TSCA) Inventory

California Prop. 65 Components

WARNING! This product contains myrcene, a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

HMIS Rating

Eucalyptus oil		
HEALTH	2	
FLAMMABILITY	2	
PHYSICAL HAZARD	0	
PERSONAL PROTECTION	Н	

NFPA Rating



SECTION 16: Other information

SDS Version: 1.0 Revision Date: 12/05/2018

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Bulk Apothecary be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Bulk Apothecary has been advised of the possibility of such damages.